

The Meek Family from Antrim, Ireland

Meek Group E Introduction

The Meek/Meeks DNA Project¹ has established Y-DNA signatures² for a significant number of early American ancestors. This allows for a determination of which Meek ancestors were related and which ones were not related. Group E consists of more than 25 members representing known 1700 era American Meek ancestors³. There is little or no reliable genealogical information to tie them together. Y-DNA 37 STR⁴ marker tests on their descendants indicate that they all shared a common Meek ancestor. Most of them lived in Ontario, Maryland, Virginia and the Carolinas. While there is family legend that indicates many of them were born in Ireland the only one who has a proven place of birth is Thomas whose son moved to Canada.

Table 1

Name	DOB	Residence	Spouse
Adam Meek	<1726	Cecil Co., MD	Jean Mitchell
Adam Meek	1729	Mecklenburg Co., NC	Elizabeth Miller
Robert Meek	1732	Brooks Co., VA	Elizabeth Alexander
Adam Meek	1746	Jefferson Co., TN	Martha Wallace
Joseph Meek	1744	Washington Co., VA	Lydia
Thomas Meek	1745	Antrim, Ire/Ontario	Jean Redman
John Meek	1745	Laurens Co., SC	Eleanor Mills
Moses Meek	1755	Mecklenburg Co., NC	Margaret

Dates of birth not confirmed and vary in different genealogies.

The men listed in Table 1 shared a common Meek ancestor. How they were related or when the common ancestor lived is not revealed by DNA alone. Some genealogies report that more than one of the Group E ancestors was a descendant of Matthew Meek son of Adam Meek of Lincolnshire, England. The original source⁵ for this was H. B. Meek who has been discredited concerning the early generations. There is no evidence to support this theory⁶. There is no evidence to prove which Matthew Meek the early authors referred to or who his sons were. Likewise there is no evidence to prove the existence of John Alexander Meek born 1686. Even if he was a real person there is no evidence regarding who his sons were. Caution is advised concerning undocumented genealogies that claim to know who the fathers of any of the ancestors in Table 1 were.

In addition to the ancestors in Table 1 a number of ancestors whose descendants currently or recently lived in Ireland have also completed a Y-DNA test. The ancestors in Table 2 represent as many as three different branches of the Group E family based on the Y-DNA signature as discussed later. More importantly they represent branches that did not migrate to America before modern times and therefore tend to support the hypothesis that at least some of the American branches came from County Antrim, Ireland.

Table 2

Name	DOB	Residence
William Meek	1791	Ballintoy, Antrim, Ireland
William Meek	<1820	Ballymena, Antrim, Ireland
James Meek	<1825	Broughshane, Antrim, Ireland

The DNA project also includes men in the United States whose Meek ancestors cannot be traced back to the 1700's and thus cannot be tied to the ancestors in Table 1. The ancestors in Table 3

¹ <http://meekdna.com>

² 37 Y-DNA STR marker results. AKA DNA haplotype, signature or profile

³ [The Meek/Meeks Family of the United States Prior to 1800](#), by Christopher A. Meek, Jan 13, 2012

⁴ STR=short tandem repeat

⁵ [A Meek Genealogy](#) by H. B. Meek, 1902

⁶ [The Progenitor Myth](#) by Christopher A. Meek, 30 Apr, 2010

Meek/Meeks Group E

may or may not descend from the ancestors in Table 1. They or their parents may have emigrated directly from Ireland and belonged to different branches of the Meek family.

Table 3

Name	DOB	Residence
William Meek	1792	Marshall Co., TN
Moses Meek	1793	Giles Co., TN
Samuel Meek	1798	Wayne Co., OH
James F. Meek	1821	Marshall Co., TN
Samuel Meek	1814	Ontario, Canada
William W. Meeks	1844	Montgomery Co., AR
Rupert Meek	1871	Ontario, Canada

All of the ancestors in Tables 1 through 3 share the same surname and the same or similar Y-DNA signature. Thus they are related and share a common Meek ancestor. Genealogical research should proceed along this line and all other Meek ancestors whose descendants have been tested and do not match⁷ should be excluded from consideration.

The basic Y-DNA signature⁸ that ties all Group E men together can vary slightly with individuals and/or different branches of the family. STR marker results can be analyzed by examining the changes in the pattern of marker values. This usually requires multiple tests from different sons of a given ancestor. For instance the project has four descendants of Joseph Meek through three different sons. Despite some rather complex mathematical constructs for genetic genealogy it is a fairly simple process to determine what the Y-DNA ancestral signature for Joseph Meek descendants is. In other words it is what Joseph Meek's Y-DNA test might have looked like if it was possible to test him.

Group E can be divided into three possible sub-groups based on the two markers DYS391 and CDY. One of the dividing points comes with the men who have DYS391=11 and those who have DYS391=12. The lack of multiple tests and connecting genealogy make this a speculative proposition. However, one can start with a known fact that Joseph Meek had DYS391=11. Eleven is the common value for men in the R-P312 haplogroup. Any given modern day person today could have a recent mutation in this marker that does not reflect his earliest known ancestor's value. However, one would not expect to see this particular marker randomly mutate to the same value in so many tests of related men. Therefore, men who have DYS391=12 tend to stand out. The implication is that the men with DYS391=11 had a different common ancestor than the men with DYS391=12. In other words they represent different branches of the same family.

Table 4

DYS391=11	DYS391=12
Adam Meek b: <1726	Adam Meek b: 1729
Joseph Meek b: 1744	Robert Meek b: 1732
Thomas Meek b: 1745	Adam Meek b: 1746
	John Meek b: 1745
	Moses Meek b: 1755

Because of the uncertainty concerning the ancestral value for DYS391, for most of the ancestors, additional data is desirable. This comes in the form of the marker CDY. Most of the ancestors listed in Table 4 have CDY= 37, 41. The second number (41) is the off modal value. CDY is a relatively volatile maker but CDYb=41 is relatively stable in Group E.

There are only two ancestors who do not have CDY 37, 41 are John Meek born 1745 and Moses Meek born 1755. They have CDY=37, 40. Two members (father and son) who are descendants of Moses' son Josiah have CDY=38, 39. This appears to be a more recent mutation and points out the difficulty in using CDY for this type of analysis. However the hypothesis is that CDY=37, 40 represents a third subgroup of Group E.

⁷ A match is usually based on the pattern of marker values which sets a family apart from other families or groups.

⁸ DYS391=11, DYS392=14, DYS449=30, DYS464=15, 15, 16,18, DYS607=14, DYS576=17 and CDY=37, 41

Meek/Meeks Group E

Table 5

DYS391=11	DYS391=12, CDYb=41	DYS391=12, CDYb=40
Adam Meek b: <1726	Adam Meek b: 1729	John Meek b: 1745
Joseph Meek b: 1744	Robert Meek b: 1732	Moses Meek b: 1755
Thomas Meek b: 1745	Adam Meek b: 1746	
William Meek b: <1820	James Meek b: <1825	William Meek b: 1791

This hypothesis is strengthened by the fact that each of these sub-groups has a member whose family did not migrate to America (Table 2). They are shown in the bottom row of Table 5. Again the lack of multiple tests diminishes this support. However it appears that CDY= 37, 40 pre-date the mid 1700's. While any one of the listed descendants could be incorrectly classified due to recent mutations it is unlikely that all three descendants would be found to have recent mutations in this marker that is the same for the three sub-group.

Two recent subgroup 2 members whose families have been in Canada for generations have DYS576=16 as does the descendant of John Meek born about 1745. However they also have CDY=37, 41 where the descendant of John Meek born about 1745 has CDY=37, 40. Unproven genealogies indicate that John's brother, William, went to Canada after the Revolutionary War. In fact there was a Loyalist named William Meek appearing in Canadian records. This suggests that John Meek born 1745 belongs in subgroup 2 and mutation in CDY is of recent origins.

Table 6

Sub-group 1 DYS391=11, CDYb=41	Sub-group 2a DYS391=12, CDYb=41	Sub-group 2b DYS391=12, CDYb=40
Adam Meek b: <1726	Adam Meek b: 1729	Moses Meek b: 1755
Joseph Meek b: 1744	Robert Meek b: 1732	
	John Meek b: 1745	
Thomas Meek b: 1745	Adam Meek b: 1746	
	William Meek b: 1814	
William Meek b: 1792	James F. Meeks b: 1821	Moses Meek b: 1792
Samuel Meek b: <1792	William W. Meeks b: 1844	
William Meek b: <1820	James Meek b: <1825	William Meek b: 1791
	Rupert Meek b: 1871	

In summary the hypothesis is that DYS391 divides Group E. Those members with DYS391=12 are further divided by the marker CDY. There are difficulties with the lack of multiple tests but based on the fact that there is a member in each subgroup whose family did not migrate to America this hypothesis is worth exploring.

Group E represents a large extended family that lived in N.E. Ireland in the early 1700's. They originally may have come from England during the early Plantation period. Y-DNA indicates at least three branches that migrated to America with a member of each branch remained in Ireland.

The earliest Group E ancestor known to have migrated to America was Adam Meek born before 1726. He resided in Cecil Co., MD as early as 1752. He had a brother named John Meek who had several sons. There was also a man named William Meek who appeared in the Cecil County tax records with Adam. According to his will he had a brother named James and sons named James and William. Some of Adam Meek's sons moved to York Co., SC.

Meek/Meeks Group E

It is highly likely that Adam Meek born about 1729 also lived in Cecil Co., MD before moving to Mecklenburg Co., NC. While it is now known through Y-DNA that these two men named Adam Meek were related Y-DNA suggests that they may not have been closely related. They were not father and son, brothers and may not have been first cousins.

Joseph Meek settled in Washington Co., VA as early as 1787. Very little is known about his early life or whether he came to America with his parent or on his own. A son of Thomas Meek immigrated to Ontario about 1818 and was the last of the early ancestors to come to America.

The early ancestors in the second sub-group include Adam Meek born about 1729 mentioned above and Adam Meek born 1746 who lived in Jefferson Co., TN. While they fall into the same sub-group Y-DNA does not prove they were more closely related than they were to any other member of the sub-group. Adam Meek born 1729 was in Maryland as early as 1752 and Adam Meek born 1746 immigrated to South Carolina from Ireland as a young man. They were not likely father and son as is often reported.

Also in the second sub-group was Robert Meek born about 1732 who married Elizabeth Alexander. He first appears in records of Ohio Co., VA. He is often confused with Robert Meek who lived in Cumberland Co., PA. However Y-DNA excludes the descendants from being related. Robert born 1732 was unique because he first appeared in the records Ohio and S. W. Pennsylvania, a considerable distance from the east coast.

The third sub-group includes Moses Meek born about 1755. He first appeared in the 1790 census of Mecklenburg Co., NC. However, there was an older man named Moses Meek living in Mecklenburg as early as 1765. In addition there was a man named James Meek in the early records of Mecklenburg. They may or may not have been related to Moses Meek.

John Meek born 1745 emigrated from Ireland and settled in Lauren Co., SC. He may or may not have been a son of a man named John Alexander Meek. This popular myth is not supported by any credible evidence. Subgroup placement is problematic.

The haplogroup⁹ of Group E men is defined by the SNP¹⁰ marker R-P312. P312 and its many sub-clades include a significant portion of European men. All men in Group E will be positive for P312 and have not at this time been found positive for any downstream SNPs. P312 alone is less common than many of its sub-clades. However, no one in this group has done extensive SNP testing. Downstream SNPs are found on a regular basis and the men with this classification may yet be placed in a sub-clade of R-P312.

Some of the members of the early Group E families associated with each other or lived near each other including those in different sub-groups. They spread throughout the country and are well represented in the population today.

Copyright © by Christopher A. Meek, Jan 13, 2012/Rev Apr 15, 2012/Rev Feb 22, 2013/Rev Dec 1, 2014/Rev Jan 2016/Rev May 2016/Rev Feb 2017

⁹ Haplogroup=large population of men defined by a single SNP marker

¹⁰ SNP=single nucleotide polymorphism

Meek/Meeks Group E

1-37 markers

		Meek(s) Family Y-DNA Results																																					1-37						
Project Group	DYS name -->	3	3	1	3	3	3	4	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	G	Y	Y	4	6	5	5	C	C	4	4	
	Geographic Area	9	9	9	9	8	8	2	8	3	8	9	8	5	5	5	5	5	4	3	4	4	6	6	6	6	6	6	6	6	6	6	6	6	A	C	C	5	0	7	7	D	D	4	3
Kit# (Click)	Ancestors (Click)	3	0	1	5	5	6	8	9	2	9	8	9	9	5	4	7	7	8	9	4	4	4	4	4	4	4	4	4	4	4	4	4	0	T	A	A	6	7	6	0	Y	Y	2	8
R1b1 Modal		13	24	14	11	11	14	12	12	12	13	13	29	17	9	10	11	11	25	15	19	29	15	15	17	17	11	11	19	23	16	15	18	17	37	38	12	12							
Group E - R-P312'																																							Gp E						
Ireland/MD/VA/NC																																							S-G 1						
31342	Adam Meek b: <1726	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15c	15c	16g	18c	11	11	19	23	16	14	17	17	37	41	12	12							
83703	Joseph Meek 1744	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
180990	Joseph Meek 1744	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	13	12							
171221	Joseph Meek 1744	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15c	15c	16g	18c	11	11	19	23	16	15	17	17	37	41	12	12							
181447	Joseph Meek 1744	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
28000	Thomas Meek b:1745 Ire	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15c	15c	16g	18c	11	11	19	23	16	14	17	17	36	41	12	12							
365726	Thomas Meek b:1745 Ire	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
131778	William Meek b: 1792	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	38	41	12	12							
42870	Samuel Meek <1798	13	24	14	11	11	14	12	12	12	13	14	29	17	9	9	11	11	25	15	19	30	14c	15c	16g	18c	12	11	19	23	16	14	17	17	37	41	12	12							
45520	William Meek b: 1800 Ire	13	24	14	11	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	31	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
Ireland/NC/SC/TN																																							S-G 2a						
190919	Adam Meek b: 1729	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	17	10	11	19	23	16	14	17	17	37	41	12	12							
146247	Robert Meek b: 1732	13	24	14	12	11	14	12	12	12	13	14	29	16	9	10	11	11	25	15	19	30	15	15	16	18	11	11	20	23	16	14	17	17	36	41	12	12							
189363	Adam Meek b: 1746	13	24	14	12	11	14	12	12	11	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	36	41	12	12							
185459	James F. Meeks b: 1821	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
170299	William W. Meeks b: 184	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
67321	Frank Meek	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	31	14	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
491931	Unk Meek	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	24	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	41	12	12							
B125822	Thomas J Mills 1871	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	14	15	16	18	11	11	19	23	16	14	18	17	37	41	12	12							
112162	John Meek b:1745	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15c	15c	16g	18c	11	11	19	23	16	14	16	17	37	40	12	12							
303451	Rupert Meek b: 1871	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	16	18	37	41	12	12							
323343	Samuel Meek b: 1814	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	20	30	15	15	16	18	11	11	19	23	16	14	16	17	37	41	12	12							
206171	James Meek b:<1824 Ire	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	36	41	12	12							
Ireland/NC/SC/TN																																							S-G 2b						
54094	Moses Meek b:1755	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	37	40	12	12							
63410	Moses Meek b:1755	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	38	39	12	12							
63411	Moses Meek b:1755	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15	15	16	18	11	11	19	23	16	14	17	17	38	39	12	12							
85262	Moses Meek b:1793	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	15c	15c	16g	18c	11	11	19	23	16	14	17	17	37	40	12	12							
96541	William Meek b: 1791 Ire	13	24	14	12	11	14	12	12	12	13	14	29	17	9	10	11	11	25	15	19	30	14	15	16	18	11	11	19	23	16	14	17	17	37	40	12	12							

Meek/Meeks Group E

38-67 markers

DYS name -->		5	5	3	3	5	5	6	4	4	5	4	4	4	5	5	4	4	5	4	4	4	5	4	6	5	4	5	6	4	5	
Project	Geographic	3	7	9	9	9	3	4	7	0	1	2	1	1	5	9	3	9	3	5	4	8	2	4	1	6	8	7	4	9	6	
Group	Area	1	8	5	5	0	7	1	2	6	1	5	3	3	7	4	6	0	4	0	4	1	0	6	7	8	7	2	0	2	5	
Kit#	Ancestors			S	S					S			a	b																		
(Click)	(Click)			1	1					1																						
R1b1 Modal		11	9	15	16	8	10	10	8	10	10	12	23	23	16	10	12	12	15	8	12	22	20	13	12	11	13	11	11	12	12	
Group E - R-P312*																														Gp E		
Ireland/MD/VA/NC																														S-G 1		
31342	Adam Meek b: <1726	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Mel
83703	Joseph Meek 1744	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Harold
180990	Joseph Meek 1744																															Marvin
171221	Joseph Meek 1744	11	10	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Don W.
181447	Joseph Meek 1744																															James L.
28000	Thomas Meek b:1745 Ire	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	12	22	20	13	12	11	13	11	11	12	12	Fred
365726	Thomas Meek b:1745 Ire																															Derek
131778	William Meek b: 1792																															John D.
42870	Samuel Meek <1798	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	14	11	11	12	12	Jon
45520	William Meek b: 1800 Ire	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Alan
Ireland/NC/SC/TN																														S-G 2a		
190919	Adam Meek b: 1729 Ire	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Charles H
146247	Robert Meek b: 1732	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	12	22	20	13	12	11	13	11	11	12	12	Michael
189363	Adam Meek b: 1746																															Thomas E.
185459	James F. Meeks b: 1821	11	9	15	16	8	10	10	8	10	8	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	James S.
170299	William W. Meeks b: 184	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Rob
67321	Frank Meek	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	David C.
491931	Unk Meek																															Floyd
B125822	Thomas J Mills 1871	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Jack
112162	John Meek b:1745	11	9	15	16	8	10	10	8	11	9	12	23	25	16	11	12	12	15	8	11	22	20	13	12	11	13	11	11	12	11	James D.
303451	Rupert Meek b: 1871 NS																															Rupert
323343	Samuel Meek b: 1814 NS									11						10																Gerald
206171	James Meek b:<1824 Ire	11	9	15	16	8	10	10	8	10	9	12	23	25	17	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Alastair
Ireland/NC/SC/TN																														S-G 2b		
54094	Moses Meek b:1755	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Charlie
63410	Moses Meek b:1755																															Finis
63411	Moses Meek b:1755																															Chris
85262	Moses Meek b:1793	11	9	15	16	8	10	10	8	10	9	12	23	25	16	10	12	12	15	8	11	22	20	13	12	11	13	11	11	12	12	Bruce
96541	William Meek b: 1791 Ire																															John

Meek/Meeks Group E

68-111 markers

DYS name -->		7	4	6	4	5	7	7	7	5	5	5	5	4	5	6	5	6	4	4	A	4	4	A	5	7	5	6	5	7	5	5	5	5	7	6	5	6	4	5	4	4	4													
Project		1	8	3	9	4	1	1	1	0	5	4	8	2	9	3	3	7	3	6	5	4	T	6	4	T	2	1	9	5	3	1	0	1	6	5	2	3	8	4	9	1	3	6	3											
Geographic Area		0	5	2	5	0	4	6	7	5	6	9	9	2	4	3	6	5	8	2	2	5	A	3	1	T	5	2	3	0	2	5	4	3	1	2	6	5	7	3	7	0	4	1	5											
Group																					A				1																															
Area																					A				B																															
Kit#																					A				0																															
Ancestors (Click)																					A				0																															
R1b1 Modal		35	15	9	16	12	26	26	19	12	11	13	12		9	12	12	10	11	11	30	12	13	24	13	10	10		15	19		24	17	12	15	24	12	23	18	10	14	17	9	12	11											
Group B - R-P312*																																																								
Ireland/MD/VA/NC		33	17	16	27	26	19	12	11	14	12	10	9	12	12	10	11	11	30	12	13	24	13	11																																
31342	Adam Meek b: <1726	17			27	26	19													11	30	12	13	24	13	11																														
83703	Joseph Meek 1744	16			27	26														11																																				
180990	Joseph Meek 1744																																																							
171221	Joseph Meek 1744																																																							
181447	Joseph Meek 1744																																																							
28000	Thomas Meek b:1745	33	17	16	27	26	19	12	11	14	12	10	9	12	12	10	11	11	30	12	13	24	13	11																																
365726	Thomas Meek b:1745																																																							
131778	William Meek b: 1792																																																							
42870	Samuel Meek <1798	17			27	26	19														11	30	12	13	24	13	11																													
45520	William Meek	33	16	16	27	26	19	11	13																																															
Ireland/NC/SC/TN		33	17	16	27	26	19	12	11	14	12	10	9	12	12	10	11	11	30	12	13	24	13	11																																
190919	Adam Meek b: 1729																																																							
146247	Robert Meek b: 1732	17	16	26	26	19	12	10	13	12	10	9	12	12	10	11	11	30	12	13	24	13	12																																	
189363	Adam Meek b: 1746																																																							
185459	James F. Meeks b: 1821																																																							
170299	William W. Meeks b: 1844																																																							
67321	Frank Meek	17			27			12	11	14	12	10	9	12	11	10	11	11																																						
491931	Unk Meek																																																							
B125822	Unk Mills																																																							
112162	John Meek b:1745	17	16	27	26	19																																																		
303451	Rupert Meek b: 1871																																																							
323343	Samuel Meek b: 1814																																																							
206171	James Meek																																																							
Ireland/NC/SC/TN		33	17	16	27	26	19	12	11	14	12	10	9	12	12	10	11	11	30	12	13	24	13	11																																
54094	Moses Meek b:1755	33	17	16	27	26	19	12	11	14	12	10	9	12	11	10	11	11	30	12	13																																			
63410	Moses Meek b:1755																																																							
63411	Moses Meek b:1755				27			12	11	14	12	10	9	12	12	10	11																																							
85262	Moses Meek b:1793	33	17	9	16	12	27	26	19	12	11	14	12	10	9	12	12	10	11	11	30	12	13	24	13	11	10	23	15	18	12	26	17	12	15	24	12	25	18	10	14	17	9	12	11											
96541	William Meek b: 1791																																																							

Meek/Meeks Group E

Misc. markers

DYS name -->	7	7	7	7	D	D	D	D	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	
Project Geographic	2	2	2	2	S	S	S	S	8	8	9	9	9	9	9	9	9	0	0	0	0	0	0	0	1	1		
Group Area	5	5	5	5	F	F	F	F	5	5	7	7	7	7	9	9	9	1	1	8	8	8	8	8	1	1		
-----	a	b	c	d	3	3	3	3	S	S	a	b	c	d	S	S	S	a	b	a	b	c	d	a	b			
Kit#					7	7	7	7	1	1								1	1	1								
(Click) Ancestors					1	1	1	1	a	b					a	b	c											
(Click) R1b1 Modal	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15										8	14	11	11	
Group B - R-P312'																												
Ireland/MD/VA/NC	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17						8	14	11	11
31342 Adam Meek b: <1726	31	31	31	32	10c	12t	13c	14c							22t	23c	25.1t	14	17									
83703 Joseph Meek 1744															23t	23c	24.1t											
180990 Joseph Meek 1744																												
171221 Joseph Meek 1744	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17	##	##		8	14	11	11		
181447 Joseph Meek 1744																												
28000 Thomas Meek b:1745	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17	##	##		8	14	11	11		
365726 Thomas Meek b:1745																												
131778 William Meek b: 1792																												
42870 Samuel Meek <1798	31	31	31	32							11	14	14	15	22t	23c	25.1t	14	16	##	##		8	14				
45520 William Meek	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17	188	188		8	14	11	11		
Ireland/NC/SC/TN	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17					8	14	11	11	
190919 Adam Meek b: 1729															21t	23c	25.1t	14	17									
146247 Robert Meek b: 1732																												
189363 Adam Meek b: 1746																												
185459 James F. Meeks b: 1821																												
170299 William W. Meeks b: 1844																												
67321 Frank Meek											11	14	14	15	22t	23c	25.1t											
112162 John Meek b:1745	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	23t	23c	25.1t	14	17	##	##		8	14	11	11		
303451 Rupert Meek b: 1871																												
323343 Samuel Meek b: 1814																												
206171 James Meek																												
Ireland/NC/SC/TN	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	22t	23c	25.1t	14	17					8	14	11	11	
54094 Moses Meek b:1755	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	14	22t	23c	25.1t	14	17	##	##		8	14	11	11		
63410 Moses Meek b:1755																												
63411 Moses Meek b:1755											11	14	14	14	22t	23c	25.1t	14	17	##	##		8	14				
85262 Moses Meek b:1793	31	31	31	32	10c	12t	13c	14c	10	11	11	14	14	15	23t	23c	24.1t	14	17	##	##		8	14	11	11		
96541 William Meek b: 1791															22t	23c	25.1t											